SAFETY DATA SHEET

Compilation date: 20/12/2022 Revision: 3*

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier	
Product form:	Mixture
Trade name:	Biological Laundry Powder
Product group:	Trade product
Product code:	SPD758

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified usesMain use category:Professional useFunction or use category:Washing and cleaning products (including solvent based products).

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company Name:	Spearhead
	4 Symington Place
	Riverside Business Park
	Irvine
	KA11 5DE
	Tel: 0345 180 1800
	Email: sales@spearheadhealthcare.com

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No. 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720. Eye Irrit. 2: H319

2.2 Label elements

Hazard Pictograms (CLP)



Signal word (CLP): Hazard Statements (CLP): Precautionary Statements (CLP):

Warning H319: Causes serious eye irritation. P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children P301+P312 - IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention

The full texts for all H- and EUH-phrases are displayed in Section 16 'Other Information'.

2.3 Other hazards

Other hazards not contributing to the classification: No presence of PBT and vPvB ingredients. TAKING CARE OF CARE

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name	CAS No./ EC No.	Classification	Conc (%)
SODIUM CARBONATE	497-19-8 207-838-8	Eye Irrit. 2, H319	15 - 30
SODIUM CARBONATE PEROXIDE	15630-89-4 239-707-6	Ox Sol. 3, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	5 - 15
SODIUM SILICATE PENTAHYDRATE	6834-92-0 229-912-9	Skin Corr. 1B: H314 STOT SE3, H335	1 - 5
SODIUM ALKYL BENZENE SULPHONATE	85117-50-6 285-600-2	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	1-5
ALCOHOLETHOXYLATES AE7	64425-86-1	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400	1 - 5
ALCOHOL ETHOXYLATES	68439-45-2	Acute Tox. 4, H302 Eye Dam. 1, H318	1 - 5
ENZYMES	9014-01-1 232-752-2	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334 STOT SE 3, H335	0.1 - 1

The full texts for all H- and EUH-phrases are displayed in Section 16 'Other Information'.

4. FIRST AID MEASURES	
4.1. Description of first aid measures	
First-aid measures after inhalation :	IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if you feel unwell.
First-aid measures after skin contact :	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention, and discontinue use of product.
First-aid measures after eye contact :	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.
First-aid measures after ingestion :	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries after inhalation:	Coughing. sneezing.
Symptoms/injuries after skin contact:	Redness. Swelling. dryness. Itching.
Symptoms/injuries after eye contact:	Severe pain. Redness. Swelling. Blurred vision.
Symptoms/injuries after ingestion:	Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed Refer to section 4.1.

5. FIREFIGHTING MEASURES

Extinguishing media:

Product itself is not explosive or flammable. The product itself will not burn. If anything, packaging may be involved in a fire. Use CO2, dry chemical powder, alcohol resistant foam or other media appropriate for materials actually involved in the fire. If water is used, contain run-off.

Special hazards:

When heated sufficiently, product may decompose to form smoke and toxic fumes.

Special protective equipment:

Fire fighters should wear approved self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Avoid contact with skin and eyes. For appropriate personal protection see section 8.

Environmental precautions:

Although this product is suitable for down the drain disposal it is advised that as much of the solid is contained and scooped up, before final dispersal of any residue with water.

Methods and material for containment and clean-up:

Prevent leakage into sewers or surface water by utilising bunding, absorbent booms, drain covers and soil or sand dikes. Contact appropriate environmental protection agencies, (Environment Agency in the UK) and local water authorities if significant contamination occurs.

For small and large spills: scoop spillage into suitable plastic containers and rework/dispose as per local legislation.

7. HANDLING & STORAGE

Precautions for safe handling:

Avoid contact with neat product on skin and eyes. Wear protective clothing as per section 8.

Storage precautions:

Store in closed original container in a cool and dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION_

8.1. Control parameters: Sodium Carbonate (497-19-8) DNEL/DMEL (Workers) Long-term - local effects, inhalation 10 mg/m³ DNEL/DMEL (General population) Acute - local effects, inhalation 10 mg/m³

8.2. Exposure controls

8.2.1. Appropriate engineering controls: Not applicable.
8.2.2. Personal protective equipment
Hand protection: It is advised to wear gloves during direct contact and hand-washing.
Eye protection: Wear eye/face protection.
Skin and body protection: Not applicable.
Respiratory protection: Not applicable.
8.2.3. Environmental exposure controls: Not available.

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance:
Odour:
pH (10% aqueous solution):
Melting point:
Boiling point:

White powder with coloured speckles Pleasant ca. 11 Not determined Not determined



SPEARHEAD

4 Symington Place Riverside Business Park Irvine KA11 5DE

Flash point:	Not combustible
Evaporation rate:	Not determined
Flammability:	Not combustible
Explosive properties:	Non-Explosive
Oxidising properties:	Not determined
Vapour pressure/density:	Not determined
Relative density:	ca. Not Determined
Water solubility:	Soluble
Partition coefficient:	Not determined
Auto ignition temperature:	Not combustible
Decomposition temperature:	Not determined
Viscosity:	Not determined
10. STABILITY & REACTIVITY	
Stability:	Stable under normal conditions.
Conditions to avoid:	None
Materials to avoid:	Do not mix with other cleaning products unless advised to do so by a professional
	from the industry.
11. TOXICOLOGICAL INFORMATION	
11. TOXICOLOGICAL INFORMATION Acute toxicity:	Not determined by ingestion. Non toxic by dermal contact or inhalation. May cause
	Not determined by ingestion. Non toxic by dermal contact or inhalation. May cause vomiting if very large quantities are ingested. Do not induce vomiting.
Acute toxicity:	vomiting if very large quantities are ingested. Do not induce vomiting.
Acute toxicity:	vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to
Acute toxicity:	vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is
Acute toxicity: Irritation/corrosivity:	vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended.
Acute toxicity: Irritation/corrosivity: Sensitisation:	vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended. May provoke a sensitisation reaction.
Acute toxicity: Irritation/corrosivity: Sensitisation:	 vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended. May provoke a sensitisation reaction. Repeated exposure to low levels (e.g. diluted in washing water) will not cause
Acute toxicity: Irritation/corrosivity: Sensitisation: Repeated dose toxicity:	 vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended. May provoke a sensitisation reaction. Repeated exposure to low levels (e.g. diluted in washing water) will not cause
Acute toxicity: Irritation/corrosivity: Sensitisation: Repeated dose toxicity: Carcinogenicity/mutagenicity/ teratogenicity:	vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended. May provoke a sensitisation reaction. Repeated exposure to low levels (e.g. diluted in washing water) will not cause adverse effects.
Acute toxicity: Irritation/corrosivity: Sensitisation: Repeated dose toxicity: Carcinogenicity/mutagenicity/ teratogenicity: Sodium Carbonate (497-19-8)	 vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended. May provoke a sensitisation reaction. Repeated exposure to low levels (e.g. diluted in washing water) will not cause adverse effects. Based on available data the classification criteria are not met.
Acute toxicity: Irritation/corrosivity: Sensitisation: Repeated dose toxicity: Carcinogenicity/mutagenicity/ teratogenicity: Sodium Carbonate (497-19-8) LD50 oral rat	 vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended. May provoke a sensitisation reaction. Repeated exposure to low levels (e.g. diluted in washing water) will not cause adverse effects. Based on available data the classification criteria are not met. 2800 mg/kg
Acute toxicity: Irritation/corrosivity: Sensitisation: Repeated dose toxicity: Carcinogenicity/mutagenicity/ teratogenicity: Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit	 vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended. May provoke a sensitisation reaction. Repeated exposure to low levels (e.g. diluted in washing water) will not cause adverse effects. Based on available data the classification criteria are not met. 2800 mg/kg 2001 mg/kg
Acute toxicity: Irritation/corrosivity: Sensitisation: Repeated dose toxicity: Carcinogenicity/mutagenicity/ teratogenicity: Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE CLP (oral)	 vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended. May provoke a sensitisation reaction. Repeated exposure to low levels (e.g. diluted in washing water) will not cause adverse effects. Based on available data the classification criteria are not met. 2800 mg/kg 2001 mg/kg 2800 mg/kg bodyweight
Acute toxicity: Irritation/corrosivity: Sensitisation: Repeated dose toxicity: Carcinogenicity/mutagenicity/ teratogenicity: Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit	 vomiting if very large quantities are ingested. Do not induce vomiting. Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended. May provoke a sensitisation reaction. Repeated exposure to low levels (e.g. diluted in washing water) will not cause adverse effects. Based on available data the classification criteria are not met. 2800 mg/kg 2001 mg/kg

12. ECOLOGICAL INFORMATION

On the basis of raw materials and comparable substances contained in the product the following ecological evaluation is obtained.

Ecotoxicity:

This product is intended for wide dispersive use, is not considered harmful to aquatic organisms and is compatible with the down-the-drain disposal route. No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Persistence and degradability:

This product has not been found to cause long-term adverse effects in the environment. The surfactants used in this product are biodegradable in line with the requirements of EU Detergent Regulation (EC) No 648/2004. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

 Bioaccumulative potential:
 The surfactant ingredients of this product are not expected to bioaccumulate.

 Mobility in soil:
 Not determined.



SPEARHEAD®

13. DISPOSAL CONSIDERATIONS

Consumer products ending up down the drain after use. Observe safe handling precautions and local legislation. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation EC/648/2004 on detergents.

14. TRANSPORT INFORMATION

UN No:	None
Classification:	Not classified as hazardous for transport.
UN proper shipping name:	None
Transport hazard class:	Not subject to ADR/IATA/IMDG/RID codes.
Packing group:	None
Environmental hazards:	None
Special precautions for user:	None

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions. Contains no substance on the REACH candidate list.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. OTHER INFORMATION

Usage and handling instructions are not mentioned on this Material Safety Data Sheet. The labelling of the product is indicated in Section 2.2.

The full text of the H- and EUH-phrases indicated in this safety data sheet are as follows:

Acute Tox. 4 (Oral):	Acute toxicity (oral), Category 4
Eye Dam. 1:	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2:	Serious eye damage/eye irritation, Category 2
Ox. Sol. 3:	Oxidising Solids, Category 3
Skin Irrit. 2:	Skin corrosion/irritation, Category 2
STOT SE 3:	Specific target organ toxicity- single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation

The information given has been compiled with reference to the Chemicals (Hazard Information & Packaging For Supply) Regulations (CHIP4) 2009 as amended, the Registration, Evaluation, Authorisation & Restriction of Chemicals (REACH) Regulations, as amended, the Control of Substances Hazardous to Health Regulations (COSHH) 2002, as amended, and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. This information also harmonises the provisions and criteria for the classification and labelling

of substances, mixtures and certain specific articles within the Community, taking into account the classification criteria and labelling rules of the GHS.

- * Version History Reason for Revision:
- 1. Add Classification According to (EC) 1272/2008 (CLP)
- 2. Remove Classification According to Directive 67/548/EEC or 1999/45/EC. Update Supplier Address.
- 3. Update GB-CLP Regulation. Update UK SI.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

