

SAFETY DATA SHEET

compiled according to Regulation (EC) No. 453/2010

Compilation date: 12/01/2022

Revision: 3*

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product form: Mixture

Trade name: Miltex Sterilising Fluid

Product group: Trade product
Product code: SPD1032

Hazard Band: 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Main use category: Professional use

Function or use category: Washing and cleaning products (including solvent based products).

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company Name: Spearhead

4 Symington Place Riverside Business Park

Irvine KA11 5DE

Tel: 0345 180 1800

Email: sales@spearheadhealthcare.com

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No. 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720.

Eye Irrit. 1: H319

2.2 Label elements

Hazard Pictograms (CLP):



Signal word (CLP): Warning

Hazard Statements (CLP): H319: Causes serious eye irritation.

Precautionary Statements (CLP): P102 - Keep out of reach of children.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Supplementary precautionary statements (CLP):

P264 Wash contaminated skin thoroughly after handling.

P273 Avoid release to the environment.

P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 - Dispose of contents/container to an appropriate local





waste system.

EUH031: Contact with acids liberates toxic gas.

The full texts for all H- and EUH-phrases are displayed in Section 16 'Other Information'.

2.3 Other hazards

See also section 10.

No presence of PBT and vPvB ingredients.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name	CAS No./ EC No.	Classification	Conc (%)	
SODIUM HYPOCHLORITE	7681-52-9 231-668-3	Skin Corr. 1B, H314 Eye Dam. 1, H318	1-5	
		Met. Corr. 1, H290 Aquatic Acute 1, H400		

REACH REG No: 01-2119488154-34-XXXX

The full texts for all H- and EUH-phrases are displayed in Section 16 'Other Information'.

4. FIRST AID MEASURES

4.1.	D	es	scri	ption	of	first	ai	d	m	eas	ures	
						c.						

First-aid measures after inhalation: IF INHALED: Unlikely route of exposure as the product does not contain volatile

substances. If spray/mist has been inhaled, move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing.

First-aid measures after skin contact: IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical

advice/attention immediately.

First-aid measures after eye contact: IF IN EYES: Rinse cautiously with water for at least 10 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist

immediately if the symptoms persist.

First-aid measures after ingestion: IF SWALLOWED: rinse mouth. Drink plenty of water. Do NOT induce vomiting. If

symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation: No significant symptoms.

Symptoms/injuries after skin contact: May cause irritation/ redness to skin.

Symptoms/injuries after eye contact: May cause eye irritation, burning and tearing. Symptoms/injuries after ingestion: May cause irritation to the mouth and throat.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIREFIGHTING MEASURES

Extinguishing media:

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Special hazards:

Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. Chlorine. Oxides of: Chlorine. Hydrogen chloride (HCI).

Special protective equipment:

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.





6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Product may cause irritation. Wear personal protection, see Section 8.

Evacuate personnel to safe areas. Keep out unprotected personnel. Keep unauthorised personnel away.

Environmental precautions:

Observe regulations on prevention of water pollution. Dam with sand or earth or appropriate bunding.

Do not permit to enter into surface water, stretches of water or soil undiluted.

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

Methods and material for containment and clean-up:

Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

Additional advice:

See Section 8.

7. HANDLING & STORAGE

Precautions for safe handling:

Handle in accordance with good industrial hygiene and safety practices.

It is advisable to wear eye protection. Wear gloves during prolonged use. For personal protection see section 8.

Storage precautions:

Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials, and acidic materials, and other cleaning chemicals.

Advice on common storage

Do not store together with: oxidising substances Do not store together with: acidic substances

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE (CAS: 7681-52-9)

Ingredient comments

In case of Chlorine emmission, the WEL for Chlorine should be observed:

Short Term Exposure Limit (STEL) 1 ppm / 2.9mg/m3.

Long Term Exposure Limit (LTEL) 0.5 ppm / 1.5 mg/m3.

DNEL Industry - Inhalation; Long term local effects: 1.55 mg/m3 Industry - Inhalation; Long term systemic effects: 1.55 mg/m3 Industry - Inhalation; Short term local effects: 3.1 mg/m3 Industry - Inhalation; Short term systemic effects: 3.1 mg/m3 Consumer - Inhalation; Long term local effects: 1.55 mg/m3 Consumer - Inhalation; Long term systemic effects: 1.55 mg/m3 Consumer - Inhalation; Short term local effects: 3.1 mg/m3 Consumer - Inhalation; Short term systemic effects: 3.1 mg/m3 Consumer - Oral; Long term systemic effects: 0.26 mg/kg/day

PNEC

Fresh water; 0.00021 mg/l
 Marine water; 0.000042 mg/l
 Intermittent release; 0.00026 mg/l
 STP; 0.03 mg/l

8.2. Exposure controls

Engineering measures: It is advisable to provide for installation of emergency shower and eye bath. Provide adequate ventilation.





Respiratory protection: It is not likely that exposure limits will be exceed. If workplace exposure limit is

exceeded apply Respiratory protective equipment.

Hand protection: Wear suitable gloves during prolonged use. PVC or rubber gloves are

recommended.

Eye protection: Wear approved safety goggles/ glasses or face shield.

Skin protection: Wear protective clothing, against splashing and contamination, during prolonged

use.

Hygiene Measures: Do not inhale vapour, aerosols, mist. Avoid contact with skin, eyes and clothing.

Ensure there is good room ventilation. No eating, drinking, smoking or snuffing tobacco at work. Wash face and/or hands before breaks and end of work Use preventative skin protection. Avoid contaminating clothes with product. Immediately change moistened and saturated work clothing. Any contaminated

protective equipment to be cleaned after use.

Protective Measures: Handle in accordance with good industrial hygiene and safety practices. It is

advisable to wear suitable protective clothing, gloves and eye/face protection.

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance: Thin Liquid.

Colour: Clear to Pale Yellow / Straw

Odour: Chlorine pH: 11-12

Melting point:

Initial boiling point and range:

Flash point:

Data not available
est. 100°C @ 760 mm Hg
Boils without flashing.

Relative density: 1.07 @ 20°C Soluble in water.

9.2 Further information

Miscibility in water: Completely miscible
Other information: Corrosive, alkaline agent

10. STABILITY & REACTIVITY

10.1 Reactivity: Reactions with the following materials may generate heat: Strong acids, ammonium

compounds and Oxidising agents.

10.2 Chemical stability: Decomposes over time. Factors that increase the rate of decomposition: increase in

temperature, certain metallic impurities, high initial concentration, fall in pH below

11 and exposure to light.

10.3 Possibility of hazardous reactions:

10.4 Conditions to avoid: St

Contact with acids liberates toxic gas. Chlorine. See Sections 10.1, 10.2 and 10.5

Strong Heat.

10.5 Incompatible materials: Strong acids and Oxidising agents. Ammonium compounds. Organic materials.

Metals, particularly copper, nickel and iron. Do not mix with other cleaning products

unless advised to do so by a professional from the industry.

10.6 Hazardous decomposition products: Decomposition products under conditions of thermal decomposition: Chlorine.

Hydrogen chloride (HCl). Oxides of the following substances: Chlorine.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicity:

Data for sodium hypochlorite solution 15% shows low acute oral toxicity: LC50(rat, oral) 1100 mg/kg (as available chlorine). Low acute inhalation toxicity. LC50 (rat, 1hr) >10500mg/m3 (as available chlorine). Very low acute dermal toxicity. LC50 (rat, dermal) >2000 mg/kg (as available chlorine).

Skin Corrosion/Irritation: May cause skin irritation.

Serious eye damage/eye irritation: Causes eye irritation. Redness and possibly visual disturbances

including blurred vision.

Sensitisation: Not known to be sensitising.

TAKING CARE OF CARE

0345 180 1800 spearheadhealthcare.com sales@spearheadhealthcare.com



Repeated Dose Toxicity:

Assessment of STOT single exposure:

Assessment of STOT repeated exposure:

Risk of Aspiration Toxicity:

No data available

No data available

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

12.1. Toxicity

Not considered toxic to fish.

Acute toxicity - aquatic invertebrates

Reference: AISE report "Environmental classification of sodium hypochlorite containing bleach products", 9 September 2009.

EC₅₀, 48 hours: > 1 mg/l mg/l, Daphnia magna

Ecological information on ingredients.

SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE

Acute aquatic toxicity

LE(C)₅₀

 $0.01 < L(E)C50 \le 0.1 \ 0.01 < L(E)C50 \le 0.1$

M factor (Acute) 10

Chronic aquatic toxicity

NOEC $0.01 < NOEC \le 0.1$

12.2. Persistence and degradability

Persistence and degradability: This product, at use dilutions, is readily broken down in biological effluent

treatment plants.

12.3. Bioaccumulative potentialThe product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil Mobility: Not known.

12.5. Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

N/A

12.6. Other adverse effects Not known.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: Disposal in accordance to local authority regulations. In the case of recycling/disposal contact the relevant authorities. Offer surplus and non-recyclable solutions to a licensed disposal company. With small amounts: May be disposed of as sewage water in accordance with local regulations by previously diluting with plenty of water.

Uncleaned Packaging: Rinse empty containers before disposal; recommended cleaning agent; water. Offer rinsed packaging material to local recycling facilities. Do not use empty containers and dispose of in accordance with the regulations issued by the appropriate local authorities. Dispose of containers that have not been emptied completely and/or cleaned, in the same manner as the substance.

14. TRANSPORT INFORMATION

Land Transport ADR/RID/GGVSEB (Germany	<u>/)</u>
ADR/RID – Labels	None
Class	N/A
UN No.	N/A
Packaging group	N/A
Tunnel Restriction Code (ADR)	N/A
Description of the goods (technical name)	N/A

Sea Transport IMDG-Code/GGVSee (Germany)

Class None

Subsidiary risk

UN No. N/A
EmS N/A
Packaging group N/A
Proper technical name (proper shipping name)





15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1. EU-Regulations

No REACH Annex XVII restrictions. Contains no substance on the REACH candidate list.

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.1.2. National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

16. OTHER INFORMATION

Usage and handling instructions are not mentioned on this Material Safety Data Sheet. The labelling of the product is indicated in Section 2.2.

The full text of the H- and EUH-phrases indicated in this safety data sheet are as follows:

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage H319: Causes serious eye irritation H400: Very toxic to aquatic life

EUH031: Contact with acids liberates toxic gas

The information given has been compiled with reference to the Chemicals (Hazard Information & Packaging For Supply) Regulations (CHIP4) 2009 as amended, the Registration, Evaluation, Authorisation & Restriction of Chemicals (REACH) Regulations, as amended, the Control of Substances Hazardous to Health Regulations (COSHH) 2002, as amended, and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. This information also harmonises the provisions and criteria for the classification and labelling of substances, mixtures and certain specific articles within the Community, taking into account the classification criteria and labelling rules of the GHS.

- * Version History Reason for Revision:
- 1. Add Classification According to (EC) 1272/2008 (CLP)
- 2. Remove Classification According to Directive 67/548/EEC or 1999/45/EC. Update Supplier Address.
- 3. Update UK REACH Regulations. Update GB-CLP Regulation. Update UK SI

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

