

SAFETY DATA SHEET CLEENOL EVOLUTION CONCENTRATED TOILET CLEANER & DESCALER

SECTION 1: Identification of the	ne substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	CLEENOL EVOLUTION CONCENTRATED TOILET CLEANER & DESCALER	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	Cleaning agent.	
1.3. Details of the supplier of the	1.3. Details of the supplier of the safety data sheet	
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk	
1.4. Emergency telephone nur	nber	
Emergency telephone	Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that the product is registered with the National Poisons Information Service	
SECTION 2: Hazards identification	ation	
2.1. Classification of the substa	ance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335	
Environmental hazards	Aquatic Acute 1 - H400	
Classification (67/548/EEC or 1999/45/EC)	-	
2.2. Label elements Pictogram		

Signal word

Danger

Hazard statements	H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P363 Wash contaminated clothing before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/ container in accordance with national regulations.
Contains	CITRIC ACID, BIS (2-HYDROXYETHYL) OLEYL AMINE, SODIUM CUMENE SULPHONATE
Supplementary precautionary statements	 P260 Do not breathe vapour/ spray. P261 Avoid breathing vapour/ spray. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P312 Call a POISON CENTER/ doctor if you feel unwell. P405 Store locked up.
2.3. Other hazards	
Other Hazards	None
SECTION 3: Composition/information on ingredients	

3.2. Mixtures **CITRIC ACID** 10-30% CAS number: 77-92-9 **REACH** registration number: EC number: 201-069-1 01211945702642XXXX Classification Classification (67/548/EEC or 1999/45/EC) Skin Irrit. 2 - H315 Xi;R36/37/38. Eye Irrit. 2 - H319 STOT SE 3 - H335 **BIS (2-HYDROXYETHYL) OLEYL AMINE** 10-30% CAS number: 25307-17-9 EC number: 246-807-3 M factor (Acute) = 10 Classification Classification (67/548/EEC or 1999/45/EC) Acute Tox. 4 - H302 Xn;R22. C;R34. N;R50. Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400

PROPAN-2-OL 10-30% REACH registration number: 01-CAS number: 67-63-0 EC number: 200-661-7 2119457558-25-0000 Classification Classification (67/548/EEC or 1999/45/EC) Flam. Liq. 2 - H225 F;R11 Xi;R36 R67 Eye Irrit. 2 - H319 STOT SE 3 - H336 SODIUM CUMENE SULPHONATE 5-10% CAS number: 32073-22-6 EC number: 250-913-5 Classification Classification (67/548/EEC or 1999/45/EC) Skin Irrit. 2 - H315 Xi;R36/37/38. Eye Irrit. 2 - H319 STOT SE 3 - H335 The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16. **SECTION 4: First aid measures** 4.1. Description of first aid measures

Inhalation	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
4.2. Most important symptoms and effects, both acute and delayed	
Inhalation	May cause respiratory irritation.
Ingestion	May be harmful if swallowed.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	May cause serious eye damage.
4.3. Indication of any immediate medical attention and special treatment needed	
Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazardsBurning may produce irritating, toxic and obnoxious fumes.Oxides of Carbon, Nitrogen and Sulphur.

5.3. Advice for firefighters

Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective
clothing.

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. 6.2. Environmental precautions **Environmental precautions** Avoid or minimise the creation of any environmental contamination. 6.3. Methods and material for containment and cleaning up Methods for cleaning up Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. 6.4. Reference to other sections Reference to other sections See section 3,8 & 13 for further information SECTION 7: Handling and storage 7.1. Precautions for safe handling Usage precautions Avoid spilling. Avoid contact with skin and eyes. 7.2. Conditions for safe storage, including any incompatibilities Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container. Storage class Corrosive storage. 7.3. Specific end use(s) Specific end use(s) The identified uses for this product are detailed in Section 1.2. SHELF LIFE OF DILUTION **12 MONTHS** SECTION 8: Exposure Controls/personal protection

- 8.1. Control parameters
- Occupational exposure limits

CITRIC ACID

Long-term exposure limit (8-hour TWA): 4 mg/m³ Short-term exposure limit (15-minute): 10 mg/m³

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³ WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

CITRIC ACID (CAS: 77-92-9)

```
Ingredient comments WEL = Workplace Exposure Limits
```

8.2. Exposure controls

Protective equipment

Appropriate engineering controls	Not relevant.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station and safety shower. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
Respiratory protection	Not relevant.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic physical and chemical properties	
Appearance	Liquid.
Colour	Blue.
Odour	Characteristic.
рН	2-4
Initial boiling point and range	100°C @ 760 mm Hg
Initial boiling point and range Relative density	100°C @ 760 mm Hg 1.072 @ 20°C
Relative density	
Relative density 9.2. Other information	1.072 @ 20°C None.
Relative density 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity	1.072 @ 20°C None.
Relative density 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability	1.072 @ 20°C None. activity No test data specifically related to reactivity available for this product or its ingredients.
Relative density 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability Stability	1.072 @ 20°C None. activity No test data specifically related to reactivity available for this product or its ingredients. Stable at normal ambient temperatures.
Relative density 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability	1.072 @ 20°C None. activity No test data specifically related to reactivity available for this product or its ingredients. Stable at normal ambient temperatures.
Relative density 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous	1.072 @ 20°C None. activity No test data specifically related to reactivity available for this product or its ingredients. Stable at normal ambient temperatures. reactions

10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decompositi	on products
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Hydrogen chloride (HCI).
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
Acute toxicity - oral ATE oral (mg/kg)	2,777.7777778
Inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	Causes burns.
SECTION 12: Ecological Info	rmation
Ecotoxicity	Very toxic to aquatic life.
12.1. Toxicity	
12.2. Persistence and degrad	lability
Persistence and degradability	The product is biodegradable.
12.3. Bioaccumulative potenti	
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	The product is soluble in water.
12.5. Results of PBT and vPv	Bassessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not available.
SECTION 13: Disposal consid	derations
13.1. Waste treatment metho	ds
Disposal methods	sues new
SECTION 14: Transport infor	mation
14.1. UN number	
UN No. (ADR/RID)	2735
UN No. (IMDG)	2735
UN No. (ICAO)	2735
14.2. UN proper shipping name	

Proper shipping name (ADR/RID)	AMINES, LIQUID, CORROSIVE, N.O.S (BIS (2-HYDROXYETHYL) OLEYL AMINE)	
Proper shipping name (IMDG)	AMINES, LIQUID, CORROSIVE, N.O.S (BIS (2-HYDROXYETHYL) OLEYL AMINE)	
Proper shipping name (ICAO)	AMINES, LIQUID, CORROSIVE, N.O.S (BIS (2-HYDROXYETHYL) OLEYL AMINE)	
Proper shipping name (ADN)	AMINES, LIQUID, CORROSIVE, N.O.S (BIS (2-HYDROXYETHYL) OLEYL AMINE)	
14.3. Transport hazard class(e	95)	
ADR/RID class	8	
ADR/RID label	8	
IMDG class	8	
ICAO class/division	8	
Transport labels		
B		
14.4. Packing group		
ADR/RID packing group	5(b)	
IMDG packing group	III	
ICAO packing group	III	
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for u	Iser	
EmS	F-A, S-B	
Emergency Action Code	2X	
Hazard Identification Number (ADR/RID)	80	
Tunnel restriction code	(E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).	
Guidance	Workplace Exposure Limits EH40.	
	CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131.	
	Safety Data Sheets for Substances and Preparations	
15.2. Chemical safety assessment		

A chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision date	05/05/2017
Revision	10
Supersedes date	26/01/2016
SDS number	N7 (Code No. EV9)
Risk phrases in full	 R11 Highly flammable. R20/22 Harmful by inhalation and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R36/37/38 Irritating to eyes, respiratory system and skin. R37 Irritating to respiratory system. R38 Irritating to skin. R43 May cause sensitisation by skin contact. R50 Very toxic to aquatic organisms. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R67 Vapours may cause drowsiness and dizziness.
Hazard statements in full	 H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.