

Safety Data Sheet Spearhead Foaming Washroom Cleaner

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name	Platinum Foaming Washroom Cleaner Ready to Use
Product Number	A010S
Internal Identification	For code PLAT010A

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Identified Uses Acidic Hard Surface Cleaner for Washrooms

1.3. Details of the Supplier of the Safety Data Sheet

Supplier Spearhead 4 Symington Place Riverside Business Park Irvine KA11 5DE Tel: 0845 180 18010 Fax: 01563 529 944 Email: sales@spearheadhealthcare.com

1.4. Emergency Telephone Number

Emergency Telephone Spearhead – 01563 542 542 – Mon to Fri – 8am to 5pm



Section 2: Hazards Identification

2.1. Classification of the Substance or Mixture

Classification

Physical Hazards Health Hazards Environmental Hazards Classification (67/548/EEC or 1999/45/EC) Not Classified Eye Irrit. 2 – H319 Elicitation – EUH208 Not Classified

2.2. Label Elements



Pictogram	
Signal Word	Warning
Hazard Statements	EUH208 Contains LIMONENE. May produce an allergic reaction.
	H319 Causes serious eye irritation.
Precautionary State	ments P102 Keep out of reach of children.
	P280 Wear eye protection.
	P301 IF SWALLOWED:
	P313 Get medical advice/attention.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do so. Continue rinsing.
	P337+P313 If eye irritation persists: Get medical advice/attention.
	P501 Dispose of contents/container in accordance with local regulations.
Contains	ALCOHOL (C9-C11) ETHOXYLATE (6EO)

2.3 Other Hazards

This product does not contain any substances classified as PBT or vPvB.



Section 3: Composition/Information on Ingredients

3.2 Mixtures

CITRIC ACID CAS Number: 77-92-9 Classification Eye Irrit. 2 – H319	EC number: 201-069	-1 Classification (67/548/EEC or 1999/45/EC) Xi;R36/38.	3-5%
ALCOHOL (C9-C11) ETHOXY CAS Number: 68439-45-2 Classification Acute Tox. 4 – H302 Eye Dam. 1 – H318		Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R41.	1-3%
1-METHOXY-2-PROPANOL CAS Number: 107-98-2 Classification Flam. Liq. 3 – H226 STOT SE 3 – H336	EC number: 203-539	-1 Classification (67/548/EEC or 1999/45/EC) R10	1-3%
ALKYL DIMETHYL BENZYL A CAS number: 68424-85-1 M factor (Acute) = 1 Classification Acute Tox. 4 – H302 Acute Tox. 4 – H312 Skin Corr. 1B – H314 Eye Dam. 1 – H318 Aquatic Acute 1 – H400			0.1-1%
LIMONENE CAS number: 5989-27-5 M factor (chronic) = 1 Classification	EC number: 227-813	-5 Classification (67/548/EEC or 1999/45/EC)	0.1-1%

SPEARHEAD[®]

Skin Sens. 1 – H317 Asp. Tox. 1 – H304 Aquatic Chronic 1 – H410

2,2'-OXYBISETHANOL CAS number: 111-46-6	C EC number: 203-872-2).1-1%
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 – H302	Xn;R22	
1,2 PROPANEDIAMINE, C10	-16 ALKYL DERIVATIVES, REACTION PRODUCT WITH 2-CHLORO	0.1-1%
ACETIC ACIDS		
CAS number: 139734-65-9	EC number:	
M factor (Acute) = 1		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 – H302	Xn;R22 C;R32. N;R50.	
Skin Corr. 1B – H314		
Eye Dam. 1 – H318		
Aquatic Acute 1 – H400		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Section 4: First Aid Measures

4.1 Description of First Aid Measures

- Inhalation Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
- **Ingestion** Do not induce vomiting. Give plenty of water to drink. Get medical attention if any discomfort continues.
- **Skin Contact** Wash with plenty of water.
- **Eye Contact** Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

SPEARHEAD®

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

General Information	The severity of the symptoms described will vary dependent on the concentration	
	and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	No specific symptoms known. But – may cause discomfort if swallowed.	
Skin Contact	No specific symptoms known. But prolonged or excessively repeated skin contact	
	could lead to removal of natural oils from skin.	
Eye Contact	May cause temporary eye irritation. Prolonged contact may cause redness and/or	
	tearing.	

4.3 Indicate of Any Immediate Medical Attention and Special Treatment Needed

Notes for the Doctor Treat symptomatically.

Section 5: Firefighting Measures

5.1 Extinguishing Media

Suitable Extinguishing Media	The product is not flammable. Use fire-extinguishing media suitable for
	the surrounding fire.

5.2 Special Hazards Arising from the Substance or Mixture

Specific Hazards Thermal decomposition or combustion products may include the following substances: irritating gases or vapours.

5.3 Advice for Firefighters

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing
	apparatus (SCBA) and appropriate protective clothing.



Section 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Wear eye and face protection. For personal protection see Section 8.

6.2 Environmental Precautions

Environmental Precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3 Methods and Material for Containment and Cleaning Up

Methods for Cleaning UpSmall spillages: flush away spillage with plenty of water. Large spillages:
contain and absorb spillage with sand, earth or other non-combustible
material. Collect and place in suitable waste disposal containers and seal
securely.

6.4 Reference to Other Sections

Reference to Other Sections For personal protection, see Section 8.

Section 7: Handling and Storage

7.1 Precautions for Safe Handling

Usage Precautions Wear eye protection.

7.2 Conditions for Safe Storage, Including any Incompatibilities

Storage Precautions Keep only in the original container in cool, well-ventilated place. Store away from the following materials: oxidizing materials.



7.3 Specific End Use(s)

Specific End Use(s)The identified uses for this product are detail in Section 1.2.Usage DescriptionSee Product Information Sheet & Label for detailed use of this product.

Section 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Occupational Exposure Limits

1-METHOXY-2-PROPANOL

Long-term exposure limit (8-hour TWA): WEL 100ppm 375 mg/m3 Short-term exposure limit (15-minute): WEL 150ppm 560mg/m3 Sk

2,2'-OXYBISETHANOL

Long-term exposure limit (8-hour TWA): WEL 22 ppm 101 mg/m3 Short-term exposure limit (15-minute): WEL WEL= Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2 Exposure Controls

Protective Equipment	
Appropriate Engineering Controls	Not relevant.
Eye/Face Protection	Wear eye protection.
Hand Protection	No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin.
Other Skin and Body Protection	None required.
Respiratory Protection	Respiratory protection not required.



Section 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Appearance	Liquid
Colour	Clear. Colourless.
Odour	Citris
рН	pH (concentrated solution): 2.30
Melting Point	-1°C
Initial Boiling Point and Range	101°C @ 760mm Hg
Flash Point	Boils without Flashing
Relative Density	1.017 @ 20°C
Solubility(les)	Soluble in water.

9.2. Other Information

Other Information None

Section 10: Stability and Reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2 Chemical Stability

Stability No particular stability concerns.

10.3. Possibility of Hazardous Reaction

See section 10.1, 10.4 & 10.5

10.4 Condition to Avoid

There are no known conditions that are likely to result in a hazardous situation.



10.5. Incompatible Materials

Materials to Avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous Decomposition Products

No known hazardous decomposition products.

Section 11: Toxicological Information

11. Information on Toxicological Effects

Toxicological Effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturers.
Other Health Effects	Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.
Acute Toxicity – Oral Notes (oral LD50)	Based on available data the classification criteria are not met.

Section 12: Ecological Information

10,203.38983051

13.1 Waste Treatment Methods

ATE oral (mg/kg)

Disposal Methods Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Rinse out empty container with water and consign to normal waste.



Section 14: Transport Information

General Not classified for Transport.

14.1. UN number UN No. (ICAO)

14.2 UN proper shipping name

14.3 Transport hazard class(es) ADR/RID label ICAO class/division ICAO subsidiary risk

14.4 Packing Group ADR/RID packing group ICAO packing group

14.5. Environmental Hazards

14.6. Special Precautions for User

EmS Emergency Action Code Hazard Identification Number (ADR/RID)

14.7. Transport in Bulk According to Annex II of MARPOL73/78 and the IBC Code

Section 15: Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

EU legislation

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006. The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under both CHIP – Directie 67/548/EEC – classification, packaging & labelling of dangerous



substances & GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixture.

Guidance

Workplace Exposure Limits EH40.

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

Section 16: Other Information

Key literature references and sources for data

Material Safety Data Sheet, Misc. manufacturers. CLP Class – Table 3.1 List of harmonized classification and labeling of hazardous substances. CHIP Class – Table 3.2 The list of harmonized classification and labelling of hazardous substances from Annex I to Directive 67/548/EEC. ECHA – C&L Inventor database.

Revision comments

This product is now using classification from GHS/CLP – Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

Revision Date 01/06/2015

Revision Issue 2

SDS Status The Risk Phrases/Hazard Statement listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Risk Phrases/Hazard Statements relating to this Product see Section 2.

Risk Phrases in Full	NC Not	Classified	
	R10 Flammable		
	R21/21	Harmful in contact with skin and if swallowed.	
	R22 Ha	rmful if swallowed.	
	R34 Causes burns R36/38 Irritating to eyes and skin		
R41 Risk of serious damage to eyes R50 Very toxic to aquatic organisms		k of serious damage to eyes	
		ry toxic to aquatic organisms	
Hazard Statements ir	n Full	EUH208 Contains LIMONENE. May produce an allergic reaction	
		H226 Flammable liquid and vapour.	
		H302 Harmful if swallowed.	
		H304 May be fatal in swallowed and enters airways.	
		H312 Harmful in contact with skin	



H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation

H318 Causes serious eye damage

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.