

SAFETY DATA SHEET

Compilation date:

compiled according to Regulation (EC) No. 453/2010
10/11/16

Revision [CLP]:

2*

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1. Product identifier

Product form: Mixture
Trade name : **Bleach Tablets**
Product group : Trade product
Product code : **SPD1374**

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Function or use category : Washing and cleaning products (including solvent based products).
Professional Chlorine Disinfection Tablets

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company Name: **Spearhead Healthcare
Symington Place
Riverside Business Park
Irvine KA11 5DE
Tel: 0345 180 1800
Email: sales@spearheadhealthcare.com**

2. Hazards Identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute tox. 4 : H302
Eye Irrit. 2 : H319
STOT SE 3 : H335
Aquatic Acute : 1 H400
Aquatic Chronic : 1 H410

2.2 Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)



Signal word (CLP):

Warning

Hazard Statements (CLP):

H302 Harmful if swallowed
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.
EUH031: Contact with acids liberates toxic gas

Precautionary Statements (CLP):

P102: Keep out of reach of children.
P273: Avoid release to the environment.
P280: Wear eye protection.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313: If eye irritation persists: Get medical advice/attention.
P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P310: Immediately call a POISON CENTER/doctor

Supplementary precautionary statements (CLP):

0345 180 1800 spearheadhealthcare.com sales@spearheadhealthcare.com

Spearhead is a trading name of Duracare Ltd – Company Number SC550705

SPEARHEAD®

P280 Wear protective clothing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

P391: Collect spillage.

2.3 Other Hazards

Other hazards not contributing to the classification:

No presence of PBT and vPvB ingredients.

The full texts for all R-, H- and EUH-phrases are displayed in Section 16 'Other Information'.

3. Composition/information on ingredients:

Common Name	CAS No./ EC No.	Classification According to (EC) 1272/2008 (CLP)	Conc (%)
SODIUM TRICLOSENE DIHYDRATE	51580-86-0 220-767-7	Acute Tox. 4; H302 Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH031	30- 60 %
ADIPIC ACID	85117-50-6 285-600-2	Eye Irrit. 2; H319	10- 30 %
SODIUM CARBONATE	497-19-8 207-838-8	Eye Irrit. 2, H319	1 - 5%

The full texts for all R-, H- and EUH-phrases are displayed in Section 16 'Other Information'.

4. First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if you feel unwell.
First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, immediately call a doctor or consult an eye specialist/ ophthalmologist
First-aid measures after ingestion : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Drink plenty of water. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Coughing, sneezing.
Symptoms/injuries after skin contact : Redness. Swelling. dryness. Itching.
Symptoms/injuries after eye contact : Severe pain. Redness. Swelling. Blurred vision.
Symptoms/injuries after ingestion : Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Refer to section 4.1.

5. Fire fighting measures

Extinguishing media: Product itself is not explosive or flammable. The product itself will not burn. If anything, packaging may be involved in a fire. Use CO₂, dry chemical powder, alcohol resistant foam or other media appropriate for materials actually involved in the fire. If water is used, contain run-off.

Special hazards: When heated sufficiently, product may decompose to form toxic fumes, including chlorine gases.

Special protective equipment: Fire fighters should wear approved self-contained breathing apparatus and full protective clothing.

6. Accidental release measures

Personal precautions:

Avoid contact with skin and eyes. Avoid inhalation of dust. For appropriate personal protection see section 8.

Environmental precautions:

Although this product is suitable for down the drain disposal it is advised that as much of the solid is contained and scooped up, before final dispersal of any residue with water.

Methods and material for containment and clean-up:

Prevent leakage into sewers or surface water by utilising bunding, absorbent booms, drain covers and soil or sand dikes. Contact appropriate environmental protection agencies, (Environment Agency in the UK) and local water authorities if significant contamination occurs.

For small and large spills: scoop spillage into suitable plastic containers and rework/dispose as per local legislation.

7. Handling and storage

Precautions for safe handling:

Avoid inhalation of dust. DO NOT mix with other chemicals. Never add water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by carefully adding the tablets to water. Avoid contact with neat product on skin and eyes. Wear protective clothing as per section 8.

Storage precautions:

Store in closed original container, with tight fitting lid, in a cool and dry area, with good ventilation.

8. Exposure controls / personal protection

8.1. Control parameters

Sodium Carbonate (CAS 497-19-8)

DNEL/PNEC Values

DNEL/DMEL (Workers)

Long-term - local effects, inhalation 10 mg/m³

DNEL/DMEL (General population)

Acute - local effects, inhalation 10 mg/m³

8.2. Exposure controls

8.2.1. Appropriate engineering controls: Not applicable.

8.2.2. Personal protective equipment

Hand protection:

Wear gloves during direct contact and hand-washing.

Eye protection:

Wear eye/face protection.

Skin and body protection:

Wear appropriate long-sleeved clothing to minimize skin contact

Respiratory protection:

Wear appropriate respirator when ventilation is inadequate, P3.

8.2.3. Environmental exposure controls:

No particular measures required

9. Physical and chemical properties

Appearance: White tablet

Odour: Faint Chlorine

pH (10% aqueous solution) : ca. <6

Melting point: Not determined

Boiling point: Not determined

Flash point: Not combustible

Evaporation rate: Not determined

Flammability: Not combustible

Explosive properties: Non-Explosive

SPEARHEAD®

Oxidising properties: Not determined
Vapour pressure/density: Not determined
Relative density: ca. Not Determined
Water solubility: Soluble 2.5g/ 100 ml
Partition coefficient: Not determined
Auto ignition temperature: Not combustible
Decomposition temperature: Not determined
Viscosity: Not determined

10. Stability and reactivity

Stability:

Stable under normal conditions.

Conditions to avoid:

Reacts violently with strong acids. Generates toxic gas in contact with acid. The product will harden into a solid mass in contact with water and moisture. Avoid exposure to high temperatures or direct sunlight.

Materials to avoid:

Strong acids. Aluminium, Tin, Zinc and their alloys.

Do not mix with other cleaning products unless advised to do so by a professional from the industry.

Hazardous decomposition products

Toxic chlorine gas can be released if heated. When heated, vapours/gases hazardous to health may be formed.

11. Toxicological information

11.1 Information on toxicological effects

Acute Oral Toxicity:

May cause burns in mucous membranes, throat, oesophagus and stomach.

Acute Inhalation Toxicity:

Dusts may irritate throat and respiratory system and cause coughing.

Acute Dermal Toxicity:

Irritating/ damaging to skin

Skin Corrosion/Irritation:

May cause chemical burns of the skin. Prolonged contact may cause tissue damage.

Serious eye damage/eye irritation:

Risk of corneal damage. Visual disturbances including blurred vision.

Sensitisation:

Not expected to provoke a sensitisation reaction.

Repeated Dose Toxicity:

Not data available.

Assessment of STOT single exposure: No data available

Assessment of STOT repeated exposure: No data available

Risk of Aspiration Toxicity: No data available

Acute toxicity	LD ₅₀ rat (oral)	735 mg/kg	Data for sodium dichloroisocyanurate
	LD ₅₀ rat (oral)	> 5500 mg/kg	Data for adipic acid
	LD ₅₀ rabbit (derm)	> 2000 mg/kg	Data for sodium dichloroisocyanurate
	LD ₅₀ rabbit (derm)	7940 mg/kg	Data for adipic acid
	LC ₅₀ rat (inhal)	> 150 mg/m ³	Data for sodium dichloroisocyanurate (1 hour)
Dermal compatibility	Strongly irritant. Data for sodium dichloroisocyanurate		
Mucous membrane compatibility	Strongly irritant to eyes Data for sodium dichloroisocyanurate		
Further information	None sensitising (guinea pig - data for sodium dichloroisocyanurate).		

Sodium Carbonate (CAS 497-19-8)

LD50 oral rat 2800 mg/kg
LD50 dermal rabbit 2001 mg/kg
ATE CLP (oral) 2800 mg/kg bodyweight
ATE CLP (dermal) 2001 mg/kg bodyweight

12. Ecological information

12.1 Toxicity	LC ₅₀	Fish (Rainbow trout)	0.22 mg/l	96 hr sodium dichloroisocyanurate
	LC ₅₀	Fish (Bluegill sunfish)	0.28 mg/l	96 hr sodium dichloroisocyanurate
	LC ₅₀	Daphnia magna	0.20 mg/l	48 hr sodium dichloroisocyanurate
	LC ₅₀	Daphnia magna	46 mg/l	48 hrs Data for adipic acid
12.2 Degradability	Not determined			
12.3 Bioaccumulative potential	LogBCF: 3.162	Data for adipic acid		
12.4 Mobility in soil	60% degradation 1-6 days (Data for adipic acid)			
12.5 PBT/vPvB assessment	Not applicable			
12.6 Other adverse effects	Do not allow to get into waste water or waterways; if this occurs, inform the relevant water authority at once.			

On the basis of raw materials and comparable substances contained in the product the following ecological evaluation is obtained.
Ecotoxicity: This product is intended for wide dispersive use, is not considered harmful to aquatic organisms and is compatible with the down-the-drain disposal route. No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Persistence and degradability: Rapidly degrades to Sodium Chloride by chemical reaction with organic matter in effluent. This product has not been found to cause long-term adverse effects in the environment. The surfactants used in this product are biodegradable in line with the requirements of EU Detergent Regulation (EC) No 648/2004. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Bioaccumulative potential: The surfactant ingredients of this product are not expected to bioaccumulate.

Mobility in soil: Not determined.

13. Disposal considerations

Consumer products ending up down the drain after use. Observe safe handling precautions and local legislation. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation EC/648/2004 on detergents.

14. Transport information

14.1 United Nations number (ADR, IMDG, IATA)	UN 3077
14.2 Proper shipping name (ADR, IMDG, IATA)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DICHLOROISOCYANURIC ACID SALTS)
14.3 Transport class(s) (ADR, IMDG, IATA)	9
14.4 Packing group (ADR, IMDG, IATA)	III
14.5 Environmental hazards (ADR, IMDG, IATA)	The product should be marked as a marine pollutant.
14.6 Special procedures	Not applicable
14.7 Transport in bulk	Not applicable



15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions. Contains no substance on the REACH candidate list

SPEARHEAD®

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. Other information

Usage and handling instructions are not mentioned on this Material Safety Data Sheet. The labelling of the product is indicated in Section 2.2.

The full text of the R-, H- and EUH-phrases indicated in this safety data sheet are as follows:

H272:	May intensify fire; oxidiser
H302:	Harmful if swallowed.
H319:	Causes serious eye irritation.
H335:	May cause respiratory irritation.
H400:	Very toxic to aquatic life
H410:	Very toxic to aquatic life with long lasting effects
EUH031	Contact with acids liberates toxic gas.

The information given has been compiled with reference to the Chemicals (Hazard Information & Packaging For Supply) Regulations (CHIP4) 2009 as amended, the Registration, Evaluation, Authorisation & Restriction of Chemicals (REACH) Regulations, as amended, the Control of Substances Hazardous to Health Regulations (COSHH) 2002, as amended, and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. This information also harmonises the provisions and criteria for the classification and labelling of substances, mixtures and certain specific articles within the Community, taking into account the classification criteria and labelling rules of the GHS.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.